Date of first issue: May 2000. Revision number: Jan 2008



SAFETY DATA SHEET ACCORDING TO EC DIRECTIVE 91/155/EEC SOL-780-2020B

1. Identification:

Order Code: SOL-780-2020B Commercial Name: Drywork Barrier Cream

Other Names: Intended Use:

Protect and moisturise.

Company: Solent, Osbourne Works, Leicester, England, LE18 1AT

> Tel: 0116 288 8000 Fax: 0116 288 8222 Emergency Telephone Number: 0116 257 2445

2. Composition/Information on Ingredients:

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Glycerol	0 - 0.5%	56-81-5		
(Glycerol, mist)				
DIPHENYL ETHER		101-84-8	202-981-2	Xi;R36 Xi;R37 Xi;R38 N;R51/53
(Diphenyl ether (vapour))				
Titanium dioxide	0 - 0.5%	13463-67-7	236-675-5	
(Titanium dioxide respirable)				
Kaolin	30 - 40%	1332-58-7	310-127-6	
(Kaolin, respirable dust)				

3. Hazards identification:

Main hazards No Significant Hazard.

4. First aid measures:

Skin contact: May cause irritation to skin. Wash off immediately with plenty of soap and water.

Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact: May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes

holding the eyelids open. Seek medical attention if irritation or symptoms persist.

May cause irritation to mucous membranes. Move the exposed person to fresh air.

Inhalation:

May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation Ingestion:

or symptoms persist.

5. Fire fighting Measures:

Extinguishing media: Use extinguishing media appropriate to the surrounding fire conditions.

Fire hazards: Burning produces irritating, toxic and obnoxious fumes. **Protective equipment:** Wear suitable respiratory equipment when necessary.

6. Accidental release measures:

Personal precautions: Ensure adequate ventilation of the working area.

Environmental precautions: Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

7. Handling & Storage:

Handling: Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

Adopt best Manual Handling considerations when handling, carrying and dispensing.

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in Storage:

correctly labelled containers.

Page 1 of 3 Created on 12/10/09 8. Exposure Control & Personal Protection:

Exposure limits

Glycerol WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: 10 (Glycerol, mist) WEL 15 min limit ppm: 1 WEL 15 min limit ppm: -

DIPHENYL ETHER WEL 8-hr limit ppm: 1 WEL 8-hr limit mg/m3: 7.1 (Diphenyl ether (vapour)) WEL 15-hr limit ppm:- WEL 15 min limit mg/m3: -

Titanium dioxide WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: 4 (Titanium dioxide respirable) WEL 15 min limit ppm: - WEL 15 min limit mg/m3: -

Titanium dioxide WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: 10 (Titanium dioxide total inhalable) WEL 15 min limit ppm: - WEL 15 min limit mg/m3:-

Kaolin WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: 2 (Kaolin, respirable dust) WEL 15 min limit ppm:- WEL 15 min limit mg/m3: -

Engineering measures: Ensure adequate ventilation of the working area.

Hand protection: Chemical resistant gloves (PVC)

Eye protection: In case of splashing, wear: Approved safety goggles.

Protective equipment Wear protective clothing.

9. Physical & Chemical properties:

DescriptionPaste.ColourRed.OdourPleasant.pH9.0

Water solubility Miscible in water.

10. Stability & reactivity:

Stability Stable under normal conditions.

11. Toxicological information:

Toxicological information No known adverse health effects.

12. Ecological information:

Ecotoxicity No known adverse environmental effects.

13. Disposal considerations:

General information Dispose of in compliance with all local and national regulations.

14. Transport information:

Further information The product is not classifed as dangerous for carriage.

15. Regulatory information:

Risk phrases NSH - No Significant Hazard.

16. OTHER INFORMATION:

Text of risk phrases in Section 2

R36 - Irritating to eyes.

R37 - Irritating to respiratory system.

R38 - Irritating to skin.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Page 2 of 3 Created on 12/10/09

Further information The information supplied in this Safety Data Sheet is designed only as guidance for the

safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. As the application of products is outside our control, the information is given without legal resposibility. Customers should test under their own conditions to ensure the products are suitable for their own requirements. The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Labelling for contents Soap. >= 5% - < 15%

Manufactuer details:

GreSolvent Unit C1A, Wem Industrial Estate Soulton Road Wem Shropshire SY4 5SD England

enquiries@gresolvent.co.uk WWW.GRESOLVENT.CO.UK Telephone +44 (0)1939 232326 Fax +44 (0)1939 232386

Page 3 of 3 Created on 12/10/09